

Business Name: Tank It Easy Colorado Springs

Address: Colorado Springs, CO 80917

Phone: (719) 359-8832

Tank It Easy Colorado Springs

Tank It Easy – Colorado Springs provides fast, reliable septic tank cleaning for homes and businesses across the region. We handle routine pumping, maintenance, and inspections with honest pricing and friendly service. Whether you're dealing with backups, odors, or just need regular service, our licensed and insured team gets the job done right. Family-owned and operated, we're committed to keeping your septic system running smoothly. Call today and let Tank It Easy do the dirty work—so you don't have to!

[View on Google Maps](#)

Colorado Springs, CO 80917

Business Hours

- Monday: 24 Hours
- Tuesday: 24 Hours
- Wednesday: 24 Hours
- Thursday: 24 Hours
- Friday: 24 Hours
- Saturday: 24 Hours
- Sunday: 24 Hours

Follow Us:

- Facebook: <https://www.facebook.com/profile.php?id=61573216902188>
- YouTube: <https://www.youtube.com/@TankItEasyCO>

Explore this content with AI:

 [ChatGPT](#)  [Perplexity](#)  [Claude](#)  [Google AI Mode](#)  [Grok](#)

A septic system does its ideal job out of view. When it works well, you barely think about it. Wastewater leaves behind your house, solids live in the tank, fluids filter into the drainpipe area, as well as lifestyle goes on. Difficulty begins when gunge creeps greater than it should, origins squeeze via a joint, or a sticky coating of oil and also cleansing soap residue tightens free throw line coming from your house to the tank. I have actually found devices that had a hard time for a long times given that the proprietors relied on sewage-disposal tank pumping alone, while free throw line in between the house and tank came to be a canal. The tank appeared fine abstractly, yet shower rooms gurgled every weekend.

Hydro-jetting links that gap. It is actually not a substitute for sewage-disposal tank pumping or even sewage-disposal tank cleaning, and it will certainly not repair a broken drainpipe industry, however when administered at the right time it brings back the complete diameter of pipes, clears persistent obstructions, and also stops those creeping restrictions that trigger data backups at the most awful instants. Consider it as the variation between gathering the fallen leaves from a garden pond and likewise cleaning the consumption water pipes clean. Each matter.



Why little blockages end up being major bills

Most obstructions carry out certainly not take place over night. A fifty percent inch of grease in a four inch pipe carries out certainly not appear like considerably, but it burglarizes you of approximately 25 percent of the water pipes's cross-sectional region. Incorporate a thin layer of cleaning agent remains and also a little bit of lint from the washing equipment, and flow loses further. The trouble compounds due to the fact that slow circulation allows more material to reside. A property that seemed to be to work fine for five years immediately has commodes that burp air when the cleaning equipment drains. Proprietors often tell me they "simply had the tank pumped," and also they perhaps performed. Pumping eliminates the grease and residue inside the tank. It does not scrub the inlet or the line coming from the house.

I remember a lakeside log cabin along with a three period utilization pattern. In summer months it threw a loads people and also hefty laundry washing days. In wintertime it rested nearly empty. The owners pumped on schedule, however every July the log cabin possessed a back-up within the initial 2 weeks. The offender became a long, a little bellied area of four in PVC from the log cabin to the tank. It had cool water in springtime, then a ring of oil specified like wax. Pushing the tank happy immediate tension however left the ring in area. Hydro-jetting

that line at 3,000 psi with a permeating mist nozzle broke up the oil, and also a final elapsed with a rotary crown buffed the inner parts. That log cabin has actually dashed five summertimes without a repeat call.

What hydro-jetting in fact does

Hydro-jetting makes use of higher pressure water by means of a hose pipe and focused nozzle to cut through oil, range, and also smooth obstacles, after that scour the water pipes wall structures. In residential septic job the device typically provides 2,000 to 4,000 psi at circulations in the 4 to 12 quart per moment variation. The mist nozzle matters as much as the device. Back planes pull the hose pipe ahead and also rinse fragments back towards the item factor, while front planes permeate obstructions. A turning or even rotary nozzle adds a tight, also scrub around the area. When put together properly, hydro-jetting not only drills a gap with a blockage, it brings back the total diameter of the pipe.

In septic tanks our company generally target 3 regions. The property lateral coming from our home to the tank acquires the best focus because that is actually where wipes, body fats, and lint tend to gather. The tank's inlet as well as outlet baffles be entitled to a close look. Baffles and healthful tees maintain residue and drifting solids from straying where they need to not. If the inlet baffle is actually packed with wipers or grease, you will observe slow drains pipes in the house. If the channel baffle or effluent filter is befouled, the pump vehicle will empty the tank as well as it will definitely still recoup unusually quick as liquid stops working to go out openly. Ultimately, the distribution carton as well as laterals of the drainpipe field are more sensitive area. You can easily not treat a saturated field along with water energy, however sunlight jetting to crystal clear residue or even sludge at the distribution package or even near sidewise admittances can easily aid repair equilibrium when done conservatively.

How it matches sewage-disposal tank pumping and also cleaning

Septic tank pumping gets rid of the heavy muck at the end of the tank and the algae level on top. That is the foundation of septic system maintenance, and also it must not be bypassed. Pumping regularity depends on family size, water use, and tank amount. A family members of four on a 1,000 gallon tank commonly pumps every 2 to 3 years. Some go much longer, some shorter. If you make use of a waste disposal unit often, cut that interval. Sludge and also film perform certainly not vanish by themselves, and also when they arrive at 30 to 40 per-cent of tank capability, the threat of solids getting in the drain field climbs.

Hydro-jetting steps in where pushing deters. After the tank is empty, you can access the inlet as well as channel places easily. A really good service technician will definitely jet the inlet series coming from the tank back towards your house, after that flush particles into the drained tank where it can be vacuumed out. That is actually the most safe method to always keep dislodged material away from the drainpipe industry. If an effluent filter is present on the electrical outlet, it should be taken out, washed, as well as reinspected just before it goes back in location. If you try to plane lines without 1st executing septic tank emptying, you may steer loosened grease and also solids much deeper into the unit. That is actually requesting trouble.

People usually inquire whether hydro-jetting replaces septic tank cleaning. It performs not. It supplements it. Septic tank cleaning targets what sits in the tank, while hydro-jetting brings back flow to and coming from that tank. When carried out all together, you get a reset you can easily feel appropriate away.

Hydro-jetting versus rodding as well as chemical cleaners

I have carried both a rodder and a jetter on the very same truck. Both have a place. A steel pole along with a cutting head can easily eat via a root heap or even snag flushable wipes swiftly. It may likewise leave behind

shredded product stuck to the water pipes wall structure, all set to re-form. Chemicals marketed to liquify grease or even origins audio practical, yet I have seen them do little past clean your wallet. Acerbic drain openers can hurt older pipeline junctions and are actually certainly not kind to the microorganisms your septic system relies upon. As for supposed ingredients that guarantee to lessen pumping regularity, the science is out their edge for a lot of house bodies. Healthy and balanced germs are presently hard at the workplace in a performance tank. You can not chemical your exit of a tank that is due for service.

Hydro-jetting succeeds where these methods fail because water, under the best pressure, reduces and lugs together. It opens a course after that right away washes particles back toward a controlled squeeze point, commonly the tank or even a cleanout. On more mature Orangeburg or incredibly brittle clay-based floor tile, you should call the tension as well as faucet option very carefully, however along with audio PVC, ABS, or well-supported cast iron, travelling is actually both secure and thorough.

Where jetting shines, and also where it performs not

Hydro-jetting is terrific for oil, cleansing soap, newspaper pulp, and sediment. It deals with small origins that have not attacked from every joint. It stands out at cleansing the interior surface area of water pipes, which prevents new particles from sticking. It can additionally remove a stuffed effluent filter in minutes.

There are limits. If your drain area has stopped working as a result of biomat expanding and also constant concentration, no amount of travelling in the property lateral are going to repair percolation. You may carefully rinse a circulation package and tease open the very first handful of feet of laterals if residue has sneaked in, yet you should not scour a field line strongly. That soil user interface is actually delicate. On a collapsed water pipes, travelling will definitely locate the collapse as well as stop cool. It will not correct a sagging, bellied area. It might get rid of the belly momentarily, but unless that low area is corrected, expect reoccurring issues.

A quick story from a wintertime call

A farm manager phoned after a cold wave. Every sink belched, and the downpour drained pipes like a connected shower. The tank had actually been actually pushed six months prior. Our team located a 6 [hydro-jetting](#) inch cap cleanout near the groundwork as well as popped it off. The line stood up half total and the smell pointed out grease, not pure sewer. Out happened the little jetter along with 200 feet of hose. I selected a mist nozzle along with a 15 level ahead plane to pierce the blockage, plus six back jets to take and clean. At 2,800 psi it ate straight through in a minute, after that we shifted to a rotating head as well as helped make 3 slow elapses. The hose pipe revived a slurry of light body fat, dust, and also newspaper finish. We ended up through jetting coming from the tank's inlet back to the cleanout so the rinsate fell into the tank, at that point vacuumed what we can reach coming from the inlet gulf. That home has due to the fact that added a month-to-month practice of wiping grease from pans into the trash and also running hot water after the dish washer. Basic practices, large difference.

Signs that aim towards hydro-jetting

- Drains that gurgle or even blister when another installation discharges, especially after laundry or dishwashing machine cycles
- Repeat declines within months after septic system pumping, suggesting free throw line, certainly not the tank, is actually the pinch point
- Odor and also infiltration around the tank inlet area, even when the tank is certainly not at capacity
- A congested effluent filter that re-fouls swiftly after a rinse

- Camera assessment presenting massive oil rings, soap stalactites, or even degraded newspaper build-up in the lateral

How pros present the work thus nothing at all goes downstream

Good leads beginning with gain access to. Ideally you have a cleanout near your home as well as the tank tops left open. If the tops are hidden, we carefully dig deep into to steer clear of pulverizing any type of risers. Along with the covers open, our experts evaluate muck and also algae degrees to affirm whether septic tank emptying ought to happen initially. If the tank is at or near company levels, we pump just before jetting any kind of upstream product lines so dislodged component comes under an empty tank.

Next comes a video camera pass if possible. You can work blind along with a jetter, however a glance reveals sags, joints, or even root breaches worth keeping in mind. The nozzle option as well as stress setup rely on what you see. In older delicate water pipes, our team stay near the lesser end of normal residential stress, typically 1,800 to 2,200 psi, as well as utilize a delicate turning head. For heavy oil our company improve as well as use a penetrating head first.

We consistently squirt coming from downstream towards upstream when dealing with a septic system. In this way particles flows back to the tank, certainly not ahead toward the field. If there is actually no get access to at the tank, our experts catch flushed fragments at the cleanout making use of a debris trap or even by pausing to vacuum coming from the tank the moment get access to is created. When an effluent filter exists, it visits prior to our team jet the channel place, and our company reinstall it clean.

A last cam inspection confirms that the pipe wall surfaces are actually clean as well as junctions are actually very clear. If the line presented a stubborn belly, our company record the site as well as suggest grade correction. Hydro-jetting will certainly purchase you attend a stomach, yet enduring water will at some point accumulate brand new slime.

The rhythm of good septic system maintenance

A septic tank awards constant care. I say to house owners to address upkeep like a period. In springtime or autumn, schedule an appointment that features a tank amount examination and, when as a result of, septic system pumping. Talk to the expert to examine the inlet and also outlet frustrates or even tees, the effluent filter if you have one, and the disorder of the circulation box if easily accessible. If you have possessed also one slow-moving drain incident previously year, consider adding pipes cleansing to that very same check out. Hydro-jetting every 2 to 4 years on the structure lateral prevails for families along with massive cooking area make use of, many laundry bunches, or frequent guests.

If you rent out the place out or you own a holiday residential property along with bursty usage, treat it more like a tiny commercial unit. Those gain from positive jetting prior to top period. On the various other conclusion of the spectrum, a 2 individual house that composts fragments and also makes sure along with grease might go years without needing to have line job past regimen sewage-disposal tank cleaning.

Water usage designs issue. Long, hot showers as well as much older, high quantity washing devices press even more flow right into the body. Low flow components help, but they carry out certainly not change the chemical make up of grease and also cleansing soap. Oil cools down and establishes everywhere the pipe is coolest. That is usually the segment outside the hot space, right prior to the tank. If you possess a cleanout near that change, it ends up being the superstar of the program on jetting day.

Costs as well as assumptions you can need to the bank

People like circular amounts, but actual expenses hold on gain access to, size of round, and what our company find within. In several locations, a direct residential hydro-jetting of a single lateral, matched along with septic tank pumping, properties in the few hundred to low four-figure array. Quick runs with really good cleanouts sit at the lower side. Long, complicated operates, frozen tops, or origin attacks push greater. If a cam assessment is actually consisted of, it normally incorporates a small cost and conserves guesswork. If you need to expose hidden tops or even install a riser to quality, consider it an assets. You will thank on your own in five years when solution is simpler and also quicker.

A clean line ought to stay problem free of cost for a long stretch if practices comply. Where practices do certainly not alter, problems return quicker. I have cleared the exact same kitchen space pipe twice in a year for a devoted fryer who poured oil away along with warm water. They got along visits, yet certainly not necessary ones. A coffee can and a trash bag would possess been actually cheaper.

Environmental feeling and the microorganisms that manage the show

Your tank depends on microorganisms to break solids. Regard that biology. Hydro-jetting makes use of ordinary water and performs certainly not agitate the microbial harmony inside the tank when complied with by ordinary procedure. Harsh chemicals, however, may dent that equilibrium. Bleach loads as well as antibacterial detergents become part of present day lifestyle, but moderation assists. Spreading laundry washing bleach days around the full week and also using evaluated volumes secures your system.

On the field side, keep in mind that a drainpipe field is a living filter. It requires unsaturated pause. If you overwater the garden or even option a septic tank pump right into the septic, you sink the area and also reduce its life. Hydro-jetting will definitely not conserve a constantly flooded area. Deal with gutters, appropriate grading, and also different stormwater. If you perform clay-rich grounds along with slow-moving percolation, spreading out circulations in time matters even more. Timed dosage bodies and also modest reduced flow fittings return there.



Practical dos and perform n'ts after a jetting visit

- Run warm and comfortable water by means of sinks and also downpours for a handful of mins each to confirm circulation and remove any type of hanging around fines
- Empty the dust snare on your washing machine drain line if one is put up, and also look at adding one if not
- Avoid hefty grease and also oil ejection for at the very least a week, and create a habit of wiping frying pans into the trash
- If you possess an effluent filter, mark your calendar to wash it every 6 to 12 months, or even faster if you do hefty laundry
- Keep tank tops and cleanouts obtainable. A paver, riser to grade, or a straightforward marker can conserve an hour of digging on the upcoming call

What about roots and more mature pipe materials

Roots apply water. Where junctions permeate, roots enter. Clay-based ceramic tile and also more mature cast iron usually reveal root breach. Hydro-jetting cuts tiny roots and flushes the hairlike fibers that catch particles. For

constant origin troubles, a pair of action method operates absolute best. Initially, plane as well as clear away the blockage. Second, line the water pipes or change the upsetting segment. Chemical root treatments may decrease regrowth temporarily, especially in metropolitan drain laterals, yet in septic laterals I favor bodily solutions because your stream is intermittent and also chemicals can easily wash in to the tank where they carry out not help.

With breakable pipe, use opinion. Orangeburg, a tar-impregnated thread pipeline made use of in the mid 20th century, is infamously fragile. I approach it with reduced tension, a mild faucet, and brief contact. If a video camera shows blistering or ovaling, prepare for substitute rather than aggressive cleansing. With sound PVC and abdominal muscle, you may be even more self-assured. Cast iron needs to have interest at fittings where scale may create. Jetting can get rid of incrustation, yet I call stress to avoid striping defensive coating.

Planning ahead beats unexpected emergency calls

You will certainly recognize you get on a healthy routine when your unit stops unexpected you. That means the tank obtains opened before it is full, the filter receives rinsed just before it plugs, and our home lateral obtains brushed before it narrows. Residents that maintain a simple log see the pattern. Day and also information of the last septic system pumping, notes on unwashed as well as sludge degrees, any sort of hydro-jetting done, as well as whether an effluent filter was serviced. Set that along with 2 little behaviors in the house, scratching plates into the junk as well as keeping wipes as well as hygiene items away from the commode, and you will certainly stretch years in between important calls.



For residential or commercial properties with visitor turn overs or rentals, a one web page appreciated slab makes a variation. I have actually seen a singular line spare a weekend break: "Only toilet tissue in the commodes. Satisfy utilize the junk for everything else." Add another line concerning grease and also you deal with the large two.

The silent fulfillment of clear lines

When a system breathes freely, you feel it as soon as possible. Kitchen sinks gulp air safely, downpours drain pipes with a quiet swirl, as well as the washing equipment burst no more shocks a bathroom across the hall. Hydro-jetting gains its maintain through attending to the parts of your septic system that pushing can easily certainly not touch, the lines as well as installations that direct exactly how effortlessly wastewater leaves your home. Used intelligently, and regularly in tandem along with suitable septic tank maintenance, it turns a fragile, unstable device right into a silent, reputable one.

If you are on the fence, put eyes on the concern. Seek a camera evaluation along with your following septic tank cleaning. If the lense presents a band of grease or a frosting of soap and paper, schedule a travelling elapsed while the tank is open. That pairing is actually efficient, in depth, and kind to the remainder of your system. Very clear lines are not chance. They are actually the result of a handful of smart steps at the correct time, water performing the work where it succeeds, as well as a home owner that keeps a short checklist and also adheres to it.

Tank It Easy Colorado Springs provides septic tank pumping

Tank It Easy Colorado Springs offers septic tank cleaning

Tank It Easy Colorado Springs provides septic system maintenance

Tank It Easy Colorado Springs serves Colorado Springs Colorado

Tank It Easy Colorado Springs serves El Paso County Colorado

Tank It Easy Colorado Springs supports residential septic systems

Tank It Easy Colorado Springs supports commercial septic systems

Tank It Easy Colorado Springs offers hydro jetting services

Tank It Easy Colorado Springs's hydro jetting removes debris from septic pipes

Tank It Easy Colorado Springs's septic tank pumping prevents septic system backups

Tank It Easy Colorado Springs's routine septic maintenance extends septic system lifespan

Tank It Easy Colorado Springs helps homeowners maintain septic systems

Tank It Easy Colorado Springs provides preventative septic maintenance

Tank It Easy Colorado Springs's septic tank cleaning improves septic system performance

Tank It Easy Colorado Springs operates in Colorado Springs Colorado

Tank It Easy Colorado Springs is a septic service company

Tank It Easy Colorado Springs provides septic system tune ups

Tank It Easy Colorado Springs's septic maintenance prevents costly septic repairs

Tank It Easy Colorado Springs focuses on reliable septic services

Tank It Easy Colorado Springs provides affordable septic services

Tank It Easy Colorado Springs has a phone number of (719) 359-8832

Tank It Easy Colorado Springs has an address of Colorado Springs, CO 80917

Tank It Easy Colorado Springs has a website <https://tankiteasycosprings.com/>

Tank It Easy Colorado Springs has Google Maps listing <https://maps.app.goo.gl/ab9qjWakKK4xk8xUA>

Tank It Easy Colorado Springs has Facebook page <https://www.facebook.com/profile.php?id=61573216902188>

Tank It Easy Colorado Springs has an YouTube channel <https://www.youtube.com/@TankItEasyCO>

Tank It Easy Colorado Springs won Top Septic Tank Pumping Company 2025

Tank It Easy Colorado Springs earned Best Customer Service Septic Tank Cleaning Award 2024

People Also Ask about Tank It Easy Colorado Springs

How often should I get my septic tank pumped

Most households should have their septic tank pumped every three to five years. The exact schedule depends on factors such as household size water usage habits tank size and the amount of solids that accumulate in the tank.

What factors affect how often a septic tank should be pumped

The frequency of septic tank pumping can vary depending on household size daily water usage the size of the septic tank and how quickly solid waste builds up inside the system.

What are signs that my septic tank needs pumping

Common warning signs include slow draining sinks or toilets sewage backing up into drains foul odors near the tank or drain field standing water near the drain field and visible sewage on the ground.

Should I use septic tank additives

Most experts recommend avoiding septic tank additives because they can disrupt the natural bacteria that help break down waste inside the septic system.

What should I do before getting my septic tank pumped

Before pumping locate the septic tank access lid clear the area around the lid and inform your septic service provider about any issues you may have noticed with your system.

What should I do after my septic tank is pumped

After pumping continue normal water usage but avoid flushing grease chemicals or non biodegradable materials down your drains to keep the septic system functioning properly.

How can I extend the life of my septic system

You can prolong the life of your septic system by conserving water avoiding flushing non biodegradable items limiting garbage disposal use and scheduling regular inspections and pumping services.

Can I pump my septic tank myself

Although it may be technically possible it is strongly recommended to hire a professional septic service to ensure safe pumping proper waste disposal and a complete system inspection.

Why is regular septic tank pumping important

Routine septic pumping removes accumulated solids from the tank which helps prevent system backups protects the drain field and avoids expensive repairs.

What happens if a septic tank is not pumped regularly

If a septic tank is not pumped regularly solid waste can build up and clog the system leading to sewage backups drain field damage unpleasant odors and costly system failures.

Why should I choose Tank It Easy Colorado Springs for septic tank pumping

Tank It Easy Colorado Springs provides reliable septic tank pumping and maintenance services for homeowners in Colorado. Tank It Easy Colorado Springs focuses on preventative maintenance professional service and helping customers keep their septic systems working properly.

How often does Tank It Easy Colorado Springs recommend pumping a septic tank

Tank It Easy Colorado Springs generally recommends septic tank pumping every three to five years depending on household size tank capacity and water usage. Tank It Easy Colorado Springs can inspect your system and recommend the best pumping schedule for your property.

What septic services does Tank It Easy Colorado Springs provide

Tank It Easy Colorado Springs provides septic tank pumping septic tank cleaning septic system maintenance and hydro jetting services. Tank It Easy Colorado Springs helps homeowners maintain efficient septic systems and prevent costly repairs.

Does Tank It Easy Colorado Springs provide septic services for residential properties

Tank It Easy Colorado Springs provides septic services for residential septic systems throughout Colorado Springs and surrounding areas. Tank It Easy Colorado Springs helps homeowners maintain healthy septic systems through pumping cleaning and preventative maintenance.

How does Tank It Easy Colorado Springs help prevent septic system problems

Tank It Easy Colorado Springs helps prevent septic system problems by providing routine septic pumping inspections and maintenance. Tank It Easy Colorado Springs also educates homeowners on proper septic system care to reduce the risk of backups and system failure.

Where is Tank It Easy Colorado Springs located?

The Tank It Easy Colorado Springs is conveniently located in Colorado Springs, CO 80917. You can easily find directions on [Google Maps](#) or call at [\(719\) 359-8832](tel:(719)359-8832) Monday through Sunday 24-Hours a day

How can I contact Tank It Easy Colorado Springs?

You can contact Tank It Easy Colorado Springs by phone at: [\(719\) 359-8832](tel:(719)359-8832), visit their website at <https://tankiteasycosprings.com/> or connect on social media via [Facebook](#) or on [YouTube](#)

After exploring the red rock formations at [Garden of the Gods](#) many Colorado Springs homeowners return home and schedule septic tank pumping to keep their wastewater systems functioning properly.